

Listing and Amendments to the Claims

This listing of claims will replace all previous versions and listings of claims in this application:

1. **(Currently Amended)** A Hybrid Controller (HC) for an IEEE 802.11 wireless data communications system supporting quality of service (QoS) enhancements, comprising:

a Station Management Entity (SME) within the HC; and

a Media Access Control (MAC) SubLayer Management Entity (MLME) within the HC and communicably coupled both to the SME and to MLMEs for wireless stations (WSTAs) participating in the IEEE 802.11 wireless data communications system,

wherein responsive to a schedule change for one of the participating WSTAs, the SME within the HC generates a request primitive for transmission to the MLME within the HC, and wherein the request primitive includes a Schedule Element.

2. **(Previously Presented)** The HC according to claim 1, wherein the request primitive includes an address for the one of the participating WSTAs ~~and a Schedule Element.~~

3. **(Previously Presented)** The HC according to claim 1, wherein the SME transmits the request primitive to the MLME within the HC.

4. **(Previously Presented)** The HC according to claim 3, wherein, responsive to receiving the request primitive from the SME, the MLME formulates a Schedule QoS Action frame including the Schedule Element and transmits the formulated Schedule QoS Action frame

5. **(Previously Presented)** A wireless data communications system including the HC according to claim 1, the wireless data communications system further comprising:

a MLME within the one of the participating WSTAs,

wherein the MLME within the one of the participating WSTAs, responsive to receipt of the Schedule QoS Action frame by the one of the participating WSTAs, generates an indication primitive for transmission to an SME within the one of the participating WSTAs.

6. **(Previously Presented)** The wireless data communications system according to claim 5, wherein the indication primitive includes the Schedule Element.

7. **(Currently Amended)** ~~[[A]] The Hybrid Controller (HC) for an IEEE 802.11 wireless data communications system supporting quality of service (QoS) enhancements, comprising:~~
~~a Station Management Entity (SME) within the HC; and~~
~~a Media Access Control (MAC) SubLayer Management Entity (MLME) within the HC and communicably coupled both to the SME and to MLMEs for wireless stations (WSTAs) participating in the IEEE 802.11 wireless data communications system as defined in claim 1,~~

wherein, responsive to a request primitive relating to a schedule change for one of the participating WSTAs, the MLME within the HC determines a result for the request primitive and generates a confirm primitive for transmission to the SME within the HC.

8. **(Original)** The HC according to claim 7, wherein the confirm primitive includes a result code corresponding to the result for the request primitive.

9. **(Previously Presented)** The HC according to claim 8, wherein the MLME within the HC transmits the confirm primitive to the SME within the HC.

10-12. **(Cancelled).**

13. **(Currently Amended)** A method of supporting quality of service (QoS) enhancements within a Hybrid Controller (HC) for an IEEE 802.11 wireless data communications system, comprising:

operating a Station Management Entity (SME) within the HC;

operating a Media Access Control (MAC) SubLayer Management Entity (MLME) within the HC and communicably coupled both to the SME and to MLMEs for wireless stations (WSTAs) participating in the IEEE 802.11 wireless data communications system; and

responsive to a schedule change for one of the participating WSTAs, generating a request primitive for transmission from the SME within the HC to the MLME within the HC, wherein the request primitive includes a Schedule Element.

14. **(Currently Amended)** The method according to claim 13, wherein the request primitive includes an address for the one of the participating WSTAs ~~and a Schedule Element.~~

15. **(Previously Presented)** The method according to claim 14, further comprising:

transmitting the request primitive from the SME to the MLME within the HC.

16. **(Previously Presented)** The method according to claim 15, further comprising:

responsive to receiving the request primitive from the SME, formulating a Schedule QoS Action frame including the Schedule Element; and

transmitting the formulated Schedule QoS Action frame.

17. **(Previously Presented)** The method according to claim 16, further comprising:

responsive to receipt of the Schedule QoS Action frame by the one of the participating WSTAs, generating an indication primitive for transmission to an SME within the one of the participating WSTAs.

18. **(Previously Presented)** The method according to claim 17, wherein the indication primitive includes the Schedule Element.

19. **(Currently Amended)** ~~[[A]] The method of supporting quality of service (QoS) enhancements for a Hybrid Controller (HC) within an IEEE 802.11 wireless data communications system, comprising:~~

~~operating a Station Management Entity (SME) within the HC;~~

~~operating a Media Access Control (MAC) SubLayer Management Entity (MLME) within the HC and communicably coupled both to the SME and to MLMEs for wireless stations (WSTAs) participating in the IEEE 802.11 wireless data communications system; and as defined in claim 13, the method further comprising:~~

~~responsive to a request primitive relating to a schedule change for one of the participating WSTAs, determining a result for the request primitive and generating a confirm primitive for transmission from the MLME within the HC to the SME within the HC.~~

20. **(Previously Presented)** The method according to claim 19, wherein the confirm primitive includes a result code corresponding to the result for the request primitive.

21. **(Previously Presented)** The method according to claim 20, further comprising:

transmitting the confirm primitive from the MLME within the HC to the SME within the HC.

22-24. **(Cancelled).**

25. **(Cancelled)**

26. **(Currently Amended)** The ~~WSTA system~~ according to claim 25 ~~5~~ wherein the indication primitive includes a Schedule Element from the Schedule QoS Action frame.

27. **(Currently Amended)** The ~~WSTA system~~ according to claim 26, wherein the MLME within the WSTA transmits the indication primitive to the SME within the WSTA.